





















BHS

29/04 12:25 - 17:46

Prg. No.	Board Grade	Roll Size	Trim	Heure			
Flute 1 C		4,220 m		4,111 kg			
6302	5 0420	2250	46	12:25	4,220 m	4,111 kg	
TK130	9,290 m 2,717 kg		4,220 m 1,234 kg		Outside Liner		2250_TK130
					Single Face		
CA95	40,908 m 8,744 kg		5,908 m 1,263 kg		Single Face C Flute Type		2250_CA95
TK170	4,220 m 1,614 kg		4,220 m 1,614 kg		Liner		2250_TK170
Flute 1 BC		36,820 m		53,484 kg			
6303	6 0730E	2250	44	13:00	5,070 m	7,076 kg	
TK130			5,070 m 1,483 kg		Outside Liner		2250_TK130
CA95	46,444 m 9,927 kg		6,794 m 1,452 kg		Single Face B Flute Type		2250_CA95
SH100	36,820 m 8,285 kg		5,070 m 1,141 kg		Liner		2250_SH100
CA95			7,098 m 1,517 kg		Single Face C Flute Type		2250_CA95
TK130	8,850 m 2,589 kg		5,070 m 1,483 kg		Liner		2250_TK130
6433	4 0730E	2250	73	13:40	3,780 m	5,318 kg	
KR135	8,410 m 2,555 kg		3,780 m 1,148 kg		Outside Liner		2250_KR135
CA95			5,065 m 1,083 kg		Single Face B Flute Type		2250_CA95
SH100			3,780 m 851 kg		Liner		2250_SH100
CA95			5,292 m 1,131 kg		Single Face C Flute Type		2250_CA95
TK130			3,780 m 1,106 kg		Liner		2250_TK130






BHS

29/04 12:25 - 17:46

Prg. No.	Board Grade	Roll Size	Trim	Heure		
Flute 1 BC		36,820 m		53,484 kg		
6304	6 0740E	2250	46	14:10	4,630 m	6,566 kg
KR135				4,630 m 1,406 kg	Outside Liner	 2250_KR135
CA95				6,204 m 1,326 kg	Single Face B Flute Type	 2250_CA95
SH100				4,630 m 1,042 kg	Liner	 2250_SH100
CA95				6,482 m 1,386 kg	Single Face C Flute Type	 2250_CA95
KR135	4,630 m 1,406 kg			4,630 m 1,406 kg	Liner	 2250_KR135
6305	3 0730	2250	130	14:45	11,520 m	15,819 kg
TK130	21,180 m 6,195 kg			11,520 m 3,370 kg	Outside Liner	 2250_TK130
CA95				15,437 m 3,300 kg	Single Face B Flute Type	 2250_CA95
SH100				11,520 m 2,592 kg	Liner	 2250_SH100
CA95				16,128 m 3,447 kg	Single Face C Flute Type	 2250_CA95
BR120	21,180 m 5,719 kg			11,520 m 3,110 kg	Liner	 2250_BR120
6434	7 0740	2250	49	16:15	9,660 m	14,634 kg
TK130				9,660 m 2,826 kg	Outside Liner	 2250_TK130
CA95				12,944 m 2,767 kg	Single Face B Flute Type	 2250_CA95
SH100				9,660 m 2,174 kg	Liner	 2250_SH100
CA140	13,524 m 4,260 kg			13,524 m 4,260 kg	Single Face C Flute Type	 2250_CA140
BR120				9,660 m 2,608 kg	Liner	 2250_BR120

BHS

29/04 12:25 - 17:46

Prg. No.	Board Grade	Roll Size	Trim	Heure		
Flute 1 BC		36,820 m		53,484 kg		
6435	1 0760	2250	176	17:30	2,160 m	4,071 kg
KR170		2,160 m 826 kg		2,160 m 826 kg	Outside Liner	 2250_KR170
CA140		2,894 m 912 kg		2,894 m 912 kg	Single Face B Flute Type	 2250_CA140
SH100				2,160 m 486 kg	Liner	 2250_SH100
MC150		3,024 m 1,021 kg		3,024 m 1,021 kg	Single Face C Flute Type	 2250_MC150
TK170		2,160 m 826 kg		2,160 m 826 kg	Liner	 2250_TK170

BHS

29/04 12:25 - 17:46

	Roll Size Distribution	
	2250	Total
BR120	21,180 m 5,718 Kg	21,180 m 5,718 Kg
CA140	16,418 m 5,171 Kg	16,418 m 5,171 Kg
CA95	87,352 m 18,671 Kg	87,352 m 18,671 Kg
KR135	13,040 m 3,960 Kg	13,040 m 3,960 Kg
KR170	2,160 m 826 Kg	2,160 m 826 Kg
MC150	3,024 m 1,020 Kg	3,024 m 1,020 Kg
SH100	36,820 m 8,284 Kg	36,820 m 8,284 Kg
TK130	39,320 m 11,501 Kg	39,320 m 11,501 Kg
TK170	6,380 m 2,440 Kg	6,380 m 2,440 Kg
Total	225,694 m 57,591 Kg	225,694 m 57,591 Kg